

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Odorizing device MX 1/2 - 3000

Version number: 9.0

Replaces version of: 2016-06-03 (8)

Revision: 2023-03-01

First version: 26.01.2012

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

Odorizing device MX 1/2 - 3000

CAS number

not relevant (article)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cartridge for admixing concentrated odor fluid at stationary argon, nitrogen and CO2 fire extinguishing systems

#### 1.3 Details of the supplier of the safety data sheet

Minimax GmbH

Industriestrasse 10/12

23840 Bad Oldesloe

Germany

Telephone: +49 (0) 4531 - 803 0

e-mail: mv\_rd\_spezial@mx-vk.eu

Website: www.minimax.de

**e-mail (competent person)**

sdb@csb-compliance.com

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact Minimax GmbH.

#### 1.4 Emergency telephone number

**Emergency information**

Consultank GmbH +49 (0) 178 433 7434

As above or nearest toxicological information centre.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317

# Odorizing device MX 1/2 - 3000

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	aspiration hazard	1	Asp. Tox. 1	H304
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.  
Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** danger

### Pictograms

GHS02, GHS07,  
GHS08, GHS09



### Hazard statements

**H225** Highly flammable liquid and vapour.  
**H304** May be fatal if swallowed and enters airways.  
**H315** Causes skin irritation.  
**H317** May cause an allergic skin reaction.  
**H319** Causes serious eye irritation.  
**H336** May cause drowsiness or dizziness.  
**H411** Toxic to aquatic life with long lasting effects.

### Precautionary statements

**P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**P261** Avoid breathing mist/vapours/spray.  
**P280** Wear protective gloves/protective clothing/eye protection/face protection.  
**P301+P310** IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
**P302+P352** IF ON SKIN: Wash with plenty of soap and water.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Hazardous ingredients for labelling** lemon oil  
propan-2-ol

**Additional labelling requirements** see section 15 of the safety data sheet

## Odorizing device MX 1/2 - 3000

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .







## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
lemon oil	CAS No 84929-31-7  EC No 284-515-8  REACH Reg. No 01-2119495512- 35-xxxx	50	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   	-
propan-2-ol	CAS No 67-63-0  EC No 200-661-7  Index No 603-117-00-0  REACH Reg. No 01-2119457558- 25-xxxx	50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 	GHS-HC

#### Notes

GHS- Harmonised classification (the classification of the substance corresponds to the entry in the list according to  
HC: 1272/2008/EC, Annex VI)

For full text of H-phrases: see SECTION 16

# Odorizing device MX 1/2 - 3000

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.

In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

#### Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

#### Notes for the doctor

None.

### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

Death following aspiration.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Danger of bursting container.

# Odorizing device MX 1/2 - 3000

---

## **Hazardous combustion products**

carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

## **Special protective equipment for firefighters**

Use suitable breathing apparatus

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **For non-emergency personnel**

Remove persons to safety.

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### **6.2 Environmental precautions**

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

### **6.3 Methods and material for containment and cleaning up**

#### **Advice on how to clean up a spill**

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

#### **Other information relating to spills and releases**

Place in appropriate containers for disposal.

Ventilate affected area.

### **6.4 Reference to other sections**

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

#### Specific notes/details

Handle with care - avoid grinding, shock and friction.

As a result of use flammable aerosol.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Explosive atmospheres

Keep container tightly closed and in a well-ventilated place.

Use local and general ventilation.

Keep cool.

Protect from sunlight.

#### Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Incompatible substances or mixtures

None.

#### Protect against external exposure, such as

heat

#### Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

#### Ventilation requirements

Provision of sufficient ventilation.

#### Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

No information available.

# Odorizing device MX 1/2 - 3000

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
propan-2-ol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
lemon oil	84929-31-7	DNEL	23.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
lemon oil	84929-31-7	DNEL	6.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
lemon oil	84929-31-7	PNEC	5.4 µg/l	freshwater
lemon oil	84929-31-7	PNEC	0.54 µg/l	marine water
lemon oil	84929-31-7	PNEC	2.1 mg/l	sewage treatment plant (STP)
lemon oil	84929-31-7	PNEC	1.3 mg/kg	freshwater sediment
lemon oil	84929-31-7	PNEC	0.13 mg/kg	marine sediment
lemon oil	84929-31-7	PNEC	0.29 mg/kg	soil

### 8.2 Exposure controls

#### Appropriate engineering controls

Use local and general ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Not required.

##### Hand protection

Not required.

# Odorizing device MX 1/2 - 3000

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

(EN 136, EN 140, EN 14387, EN 143, EN 149).

## Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Colour</b>	colourless
<b>Odour</b>	of citrus fruits
<b>Melting point/freezing point</b>	not determined
<b>Boiling point or initial boiling point and boiling range</b>	82 °C
<b>Flammability</b>	flammable liquid in accordance with GHS criteria
<b>Lower and upper explosion limit</b>	not determined
<b>Flash point</b>	12 – 20 °C
<b>Auto-ignition temperature</b>	not determined
<b>Decomposition temperature</b>	not relevant
<b>pH (value)</b>	not determined
<b>Kinematic viscosity</b>	not determined
<b>Dynamic viscosity</b>	not determined
<b>Solubility(ies)</b>	
Water solubility	not miscible in any proportion
<b>Partition coefficient n-octanol/water (log value)</b>	not determined
<b>Vapour pressure</b>	not determined
<b>Density and/or relative density</b>	
Density	0.95 g/cm <sup>3</sup> at 20 °C
Relative vapour density	this information is not available

# Odorizing device MX 1/2 - 3000

Particle characteristics	not relevant (liquid)
--------------------------	--------------------------

## 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics	there is no additional information
------------------------------	------------------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated:

danger of bursting container, risk of ignition

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification procedure

If not otherwise specified the classification is based on:  
Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Test data are not available for the complete mixture.

## Odorizing device MX 1/2 - 3000

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Method
propan-2-ol	67-63-0	oral	LD50	5,840 mg/kg	rat	OECD Guideline 401
propan-2-ol	67-63-0	dermal	LD50	13,100 mg/kg	rabbit	OECD Guideline 402
lemon oil	84929-31-7	oral	LD0	>5,000 mg/kg	rat	OECD Guideline 401
lemon oil	84929-31-7	dermal	LD50	>10,000 mg/kg	rabbit	OECD Guideline 402

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

# Odorizing device MX 1/2 - 3000

## 11.2 Information on other hazards

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Method	Exposure time
propan-2-ol	67-63-0	LC50	9,640 mg/l	fathead minnow (Pimephales promelas)	OECD Guideline 203	96 h
propan-2-ol	67-63-0	LC50	>10,000 mg/l	daphnia magna	OECD Guideline 202	24 h
lemon oil	84929-31-7	LL50	5.65 mg/l	zebra fish (Danio rerio)	OECD Guideline 203	96 h
lemon oil	84929-31-7	EL50	1.1 mg/l	daphnia magna	OECD Guideline 202	48 h
lemon oil	84929-31-7	EL50	8 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201	72 h

#### Aquatic toxicity (chronic)

Toxic to aquatic life with long lasting effects.

Test data are not available for the complete mixture.

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method
propan-2-ol	67-63-0	NOELR	28 d	>1,000 mg/l	fish	Qsar
propan-2-ol	67-63-0	NOELR	21 d	>1,000 mg/l	daphnia magna	Qsar
lemon oil	84929-31-7	NOELR	72 h	3.2 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201

### 12.2 Persistence and degradability

#### Biodegradation

The relevant substances of the mixture are readily biodegradable.

## Odorizing device MX 1/2 - 3000

### Degradability of components of the mixture

Name of sub-stance	CAS No	Process	Degradation rate	Time	Method
propan-2-ol	67-63-0	oxygen depletion	53 %	5 d	EU method C.5

### Persistence

No data available.

### 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

### Remarks

Wassergefährdungsklasse, WGK (water hazard class): 3

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Refer to manufacturer/supplier for information on recovery/recycling.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

Refer to manufacturer/supplier for information on recovery/recycling.

### Remarks

Please consider the relevant national or regional provisions.

## Odorizing device MX 1/2 - 3000

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR/RID/ADN UN3363

IMDG-Code UN3363

ICAO-TI UN3363

#### 14.2 UN proper shipping name

DANGEROUS GOODS IN ARTICLES

ADR/RID/ADN DANGEROUS GOODS IN ARTICLES

IMDG-Code DANGEROUS GOODS IN ARTICLES

ICAO-TI Dangerous goods in articles

#### 14.3 Transport hazard class(es)

ADR/RID/ADN 9

IMDG-Code 9

ICAO-TI 9

#### 14.4 Packing group

-

#### 14.5 Environmental hazards

-

#### 14.6 Special precautions for user

-

#### 14.7 Maritime transport in bulk according to IMO - instruments

#### 14.8 Information for each of the UN Model Regulations

##### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Additional information

Particulars in the transport document UN3363, DANGEROUS GOODS IN ARTICLES, 9, environmentally hazardous

Classification code M11

Danger label(s) 9



Special provisions (SP) 301, 672

Excepted quantities (EQ) E0

Limited quantities (LQ) 0

## Odorizing device MX 1/2 - 3000

### European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN) Additional information

Number of cones/blue lights 0

### International Maritime Dangerous Goods Code (IMDG) Additional information

Marine pollutant yes  
(hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) 301

Excepted quantities (EQ) E0

Limited quantities (LQ) 0

EmS F-A, S-P

Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) Additional information

Danger label(s) 9



Special provisions (SP) A48, A107

Excepted quantities (EQ) E0

Limited quantities (LQ) see 962

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
Odorizing device MX 1/2 - 3000	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	-	R3
lemon oil	flammable / pyrophoric	-	R40
propan-2-ol	flammable / pyrophoric	-	R40
propan-2-ol	substances in tattoo inks and permanent make-up	-	R75

# Odorizing device MX 1/2 - 3000

---

## Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopie' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
'For professional users only'.
  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

# Odorizing device MX 1/2 - 3000

## Legend

- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
    - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
    - (ii) 0,01 % by weight, in all other cases;
  - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
    - (i) "Rinse-off products";
    - (ii) "Not to be used in products applied on mucous membranes";
    - (iii) "Not to be used in eye products";
  - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
  - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
  - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";

# Odorizing device MX 1/2 - 3000

## Legend

- (b) a reference number to uniquely identify the batch;
- (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
- (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
- (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
- (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
- (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
- The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
- Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
- Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

## Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

## Notation

- 51) flammable liquids, categories 2 or 3 not covered by P5a and P5b
- 57) hazardous to the Aquatic Environment in category Chronic 2

## Odorizing device MX 1/2 - 3000

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

### Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

### Regulation on drug precursors

None of the ingredients are listed.

### Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

### Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances

## Odorizing device MX 1/2 - 3000

Abbr.	Descriptions of used abbreviations
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NLP	No-Longer Polymer
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern

# Odorizing device MX 1/2 - 3000

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH).

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

## Responsible for the safety data sheet

C.S.B. GmbH

Dujardinstr. 5

47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0

Telefax: +49 (0) 2151 - 652086 - 9

e-Mail: [info@csb-compliance.com](mailto:info@csb-compliance.com)

Website: [www.csb-compliance.com](http://www.csb-compliance.com)

## Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.

This safety data sheet is for information only and does not comply with the official language requirements of article 31 (5) of REACH.